


OTOS GLAS  
Pole, E27



SOCKET  
INSIDE



220-240V ~50/60Hz  
Material: Aluminium / Glas

- Betonanker inkl.



E27 <15W  
Ø: 6,5 cm L: 14,5 cm



LED E27 | 13,2W | 220°  
2700K | 1300lm | EEK=F  
13kWh/1000h

Art. Nr. 1005302



■ Verbindungsbox IP68, 3-polig

Art. Nr. 228730

■ Schraubenset

Art. Nr. 228753



Variante	Art. Nr.
1xE27	
■ anthrazit	230465







230465 550



132835 551



SLOTS 45  
Pole



220-240V ~50/60Hz  
Systemleistung: 6,3W  
Material: Aluminium

- Betonanker inkl.



231815, 231817	200lm 3000K	



■ Verbindungsbox IP68, 3-polig  
Art. Nr. 228730



■ Schraubenset  
Art. Nr. 228753



Variante	Art. Nr.
200lm   3000K   CRI80 ■ anthrazit	231815
200lm   3000K   CRI80 ■ rost	231817





231817 570





231455 571

## SLOTS 65 Pole



IP 44

68°

25 000  
Hours

L70B50

220-240V ~50/60Hz  
Systemleistung: 6,3W  
Material: Aluminium

- Betonanker inkl.



		A → G
231455, 231457	200lm 3000K	A G E



■ Verbindungsbox IP68, 3-polig  
Art. Nr. 228730

■ Schraubenset  
Art. Nr. 228753



Variante	Art. Nr.
200lm   3000K   CRI80	
■ anthrazit	231455
200lm   3000K   CRI80	
■ rost	231457